L Number	Hits	Search Text	DB	Time stamp
1	1	programmable adj interface adj core$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 13:47
36	2	(multi-codec$1) same ((characteristic$1 capabilit$3 requirement$1 attribute$1 parameter$1 need$1 type$1 kind$1) near3 controller$1) and (codec$1 near5 configur$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:09
37	0	(multi-codec$1) same compatib$6 same (codec$1 near5 configur$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:07
38	0	(plural$4 adj codec$1) same compatib$6 same (codec$1 near5 configur$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:08
39	41	compatib$6 same (codec$1 near5 configur$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:14
40	1	713/1,100.ccls. and (compatib$6 same (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:10
41	41	((characteristic$1 capabilit$3 requirement$1 attribute$1 parameter$1 need$1 type$1 kind$1) near3 controller$1) and (codec$1 near5 configur$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:28
42	0	713/1,100.ccls. and (((characteristic$1 capabilit$3 requirement$1 attribute$1 parameter$1 need$1 type$1 kind$1) near3 controller$1) and (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:10
43	2	710/10,11,300,301,104,105.ccls. and (((characteristic$1 capabilit$3 requirement$1 attribute$1 parameter$1 need$1 type$1 kind$1) near3 controller$1) and (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:12
44	1	710/10,11,300,301,104,105.ccls. and (compatib$6 same (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:20
45	0	upgrad$3 same (compatib$6 same (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:14
46	3	713/1,100.ccls. and (codec$1 near5 (configur$6, set-up or (set adj up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 15:30
47	4	710/10,11,300,301,104,105.ccls. and (codec$1 near5 (configur$6, set-up or (set adj up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:30
48	3	710/10,11,300,301,104,105.ccls. and (codec$1 near5 select$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:24

49	1	710/10,11,300,301,104,105.ccls. and (coder-decoder near5 select$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:24
50	3	713/1,100.ccls. and (coder-decoder near5 select$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:25
51	6	713/1,100.ccls. and (codec$1 near5 select$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:25
52	5121	((characteristic$1 capabilit$3 requirement$1 attribute$1 parameter$1 need$1 type$1 kind$1) near3 controller$1) same (configur$6 or setup$1 or (set-up$1) or (set adj up))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:29
53	123	(710/10,11,300,301,104,105.ccls. or 713/1,100.ccls.) and (((characteristic$1 capabilit$3 requirement$1 attribute$1 parameter$1 need$1 type$1 kind$1) near3 controller$1) same (configur$6 or setup$1 or (set-up$1) or (set adj up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:40
54	0	initializ$6 same (compatib$6 same (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:41
55	31	initializ$6 and (compatib$6 same (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 15:28
56	439	codec near3 support$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 15:29
57	0	(enabl$3 near5 number$1) same (codec near3 support$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 15:30
58	60	(enabl$3) same (codec near3 support$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 15:30
59	0	(713/1,100.ccls. or 710/8,10.ccls.) and ((enabl$3) same (codec near3 support$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 15:31
60	3	(713/1,100.ccls. or 710/8,10.ccls.) and (codec near3 support$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 15:31

L Number	Hits	Search Text	DB	Time stamp
40	1	713/1,100.ccls. and (compatib$6 same (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:10
41	41	((characteristic$1 capabilit$3 requirement$1 attribute$1 parameter$1 need$1 type$1 kind$1) near3 controller$1) and (codec$1 near5 configur$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:28
42	0	713/1,100.ccls. and (((characteristic$1 capabilit$3 requirement$1 attribute$1 parameter$1 need$1 type$1 kind$1) near3 controller$1) and (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:10
43	2	710/10,11,300,301,104,105.ccls. and (((characteristic$1 capabilit$3 requirement$1 attribute$1 parameter$1 need$1 type$1 kind$1) near3 controller$1) and (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:12
44	1	710/10,11,300,301,104,105.ccls. and (compatib$6 same (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:20
45	0	upgrad$3 same (compatib$6 same (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:14
46	3	713/1,100.ccls. and (codec$1 near5 (configur$6, set-up or (set adj up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:15
47	4	710/10,11,300,301,104,105.ccls. and (codec$1 near5 (configur$6, set-up or (set adj up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:30
48	3	710/10,11,300,301,104,105.ccls. and (codec$1 near5 select$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:24
49	1	710/10,11,300,301,104,105.ccls. and (coder-decoder near5 select$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:24
50	3	713/1,100.ccls. and (coder-decoder near5 select$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:25
51	6	713/1,100.ccls. and (codec$1 near5 select$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:25
54	0	initializ$6 same (compatib$6 same (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:41

L Number	Hits	Search Text	DB	Time stamp
40	1	713/1,100.ccls. and (compatib$6 same (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:10
41	41	((characteristic$1 capabilit$3 requirement$1 attribute$1 parameter$1 need$1 type$1 kind$1) near3 controller$1) and (codec$1 near5 configur$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:28
42	0	713/1,100.ccls. and (((characteristic$1 capabilit$3 requirement$1 attribute$1 parameter$1 need$1 type$1 kind$1) near3 controller$1) and (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:10
43	2	710/10,11,300,301,104,105.ccls. and (((characteristic$1 capabilit$3 requirement$1 attribute$1 parameter$1 need$1 type$1 kind$1) near3 controller$1) and (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:12
44	1	710/10,11,300,301,104,105.ccls. and (compatib$6 same (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:20
45	0	upgrad$3 same (compatib$6 same (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:14
46	3	713/1,100.ccls. and (codec$1 near5 (configur$6, set-up or (set adj up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:15
47	4	710/10,11,300,301,104,105.ccls. and (codec$1 near5 (configur$6, set-up or (set adj up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:30
48	3	710/10,11,300,301,104,105.ccls. and (codec$1 near5 select$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:24
49	1	710/10,11,300,301,104,105.ccls. and (coder-decoder near5 select$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:24
50	3	713/1,100.ccls. and (coder-decoder near5 select$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:25
51	6	713/1,100.ccls. and (codec$1 near5 select$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:25

L Number	Hits	Search Text	DB	Time stamp
36	2	(multi-codec$1) same ((characteristic$1 capabilit$3 requirement$1 attribute$1 parameter$1 need$1 type$1 kind$1) near3 controller$1) and (codec$1 near5 configur$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:09
37	0	(multi-codec$1) same compatib$6 same (codec$1 near5 configur$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:07
38	0	(plural$4 adj codec$1) same compatib$6 same (codec$1 near5 configur$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:08
39	41	compatib$6 same (codec$1 near5 configur$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:14
40	1	713/1,100.ccls. and (compatib$6 same (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:10
41	41	((characteristic$1 capabilit$3 requirement$1 attribute$1 parameter$1 need$1 type$1 kind$1) near3 controller$1) and (codec$1 near5 configur$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:28
42	0	713/1,100.ccls. and (((characteristic$1 capabilit$3 requirement$1 attribute$1 parameter$1 need$1 type$1 kind$1) near3 controller$1) and (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:10
43	2	710/10,11,300,301,104,105.ccls. and (((characteristic$1 capabilit$3 requirement$1 attribute$1 parameter$1 need$1 type$1 kind$1) near3 controller$1) and (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:12
44	1	710/10,11,300,301,104,105.ccls. and (compatib$6 same (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:20
45	0	upgrad$3 same (compatib$6 same (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:14
46	3	713/1,100.ccls. and (codec$1 near5 (configur$6, set-up or (set adj up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:15
47	4	710/10,11,300,301,104,105.ccls. and (codec$1 near5 (configur$6, set-up or (set adj up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:30
48	3	710/10,11,300,301,104,105.ccls. and (codec$1 near5 select$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:24
49	1	710/10,11,300,301,104,105.ccls. and (coder-decoder near5 select$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:24

50	3	713/1,100.ccls. and (coder-decoder near5 select$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:25
51	6	713/1,100.ccls. and (codec$1 near5 select$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:25
52	5121	((characteristic$1 capabilit$3 requirement$1 attribute$1 parameter$1 need$1 type$1 kind$1) near3 controller$1) same (configur$6 or setup$1 or (set-up$1) or (set adj up))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:29
53	123	(710/10,11,300,301,104,105.ccls. or 713/1,100.ccls.) and (((characteristic$1 capabilit$3 requirement$1 attribute$1 parameter$1 need$1 type$1 kind$1) near3 controller$1) same (configur$6 or setup$1 or (set-up$1) or (set adj up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:40
54	0	initializ$6 same (compatib$6 same (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:41
55	31	initializ$6 and (compatib$6 same (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:41

L Number	Hits	Search Text	DB	Time stamp
36	2	(multi-codec$1) same ((characteristic$1 capabilit$3 requirement$1 attribute$1 parameter$1 need$1 type$1 kind$1) near3 controller$1) and (codec$1 near5 configur$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:09
37	0	(multi-codec$1) same compatib$6 same (codec$1 near5 configur$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:07
38	0	(plural$4 adj codec$1) same compatib$6 same (codec$1 near5 configur$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:08
39	41	compatib$6 same (codec$1 near5 configur$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:14
40	1	713/1,100.ccls. and (compatib$6 same (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:10
41	41	((characteristic$1 capabilit$3 requirement$1 attribute$1 parameter$1 need$1 type$1 kind$1) near3 controller$1) and (codec$1 near5 configur$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:28
42	0	713/1,100.ccls. and (((characteristic$1 capabilit$3 requirement$1 attribute$1 parameter$1 need$1 type$1 kind$1) near3 controller$1) and (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:10
43	2	710/10,11,300,301,104,105.ccls. and (((characteristic$1 capabilit$3 requirement$1 attribute$1 parameter$1 need$1 type$1 kind$1) near3 controller$1) and (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:12
44	1	710/10,11,300,301,104,105.ccls. and (compatib$6 same (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:20
45	0	upgrad$3 same (compatib$6 same (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:14
46	3	713/1,100.ccls. and (codec$1 near5 (configur$6, set-up or (set adj up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:15
47	4	710/10,11,300,301,104,105.ccls. and (codec$1 near5 (configur$6, set-up or (set adj up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:30
48	3	710/10,11,300,301,104,105.ccls. and (codec$1 near5 select$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:24
49	1	710/10,11,300,301,104,105.ccls. and (coder-decoder near5 select$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:24

50	3	713/1,100.ccls. and (coder-decoder near5 select$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:25
51	6	713/1,100.ccls. and (codec$1 near5 select$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:25
54	0	initializ$6 same (compatib$6 same (codec$1 near5 configur$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:41
-	8	riser$1 near5 codec$1 near5 configur$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 14:11
-	1	(three-codec, two-codec) near3 configuration$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 14:04
-	503	codec$1 near5 configur$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 14:05
-	41	((characteristic$1 capabilit$3 requirement$1 attribute$1 parameter$1 need$1 type$1 kind$1) near3 controller$1) and (codec$1 near5 configur$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:01
-	2	710/300,301,11,104,105.ccls. and (codec$1 near5 configur$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 14:11
-	6	710/300,301,11,104,105.ccls. and (riser$1 near5 codec$1 and configur$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 14:19
-	2	713/100,1.ccls. and (riser$1 near5 codec$1 and configur$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 14:19

Google

audio codec 1997 specification multi   [Google Search]

Web · Images · Groups · Directory · News ·

Searched the web for audio codec 1997 specification multi codecs.   Results 1 - 10 of about 7,340. Search took 0.38 secon

[PDF] Reconfigurable Architecture for Multi-Standard **Audio Codecs**
File Format: PDF/Adobe Acrobat - View as HTML
... 1. MPEG Layer III **Audio Codec** The benchmark application is a MP3 **codec**, of which ... IEEE
Symposium on FPGA's for Custom Computing Machines, **1997**. ...
wwwhome.cs.utwente.nl/~smit/HWSWcodesign/ paper_choudhary.pdf - Similar pages

[PDF] PacketCable **Audio/Video Codecs Specification (PKT-SP-CODEC-I04 ...**
File Format: PDF/Adobe Acrobat - View as HTML
... Page 15. PacketCable™ **Audio/Video Codecs Specification** PKT-SP-**CODEC**-I04-021018
10/18/02 CableLabs 9 In an application where the MTA is located in ...
www.packetcable.com/downloads/specs/ PKT-SP-CODEC-I04-021018.pdf - Similar pages

> [PDF] PacketCable **Audio/Video Codecs Specification (PKT-SP-CODEC-I05 ...**
> File Format: PDF/Adobe Acrobat - View as HTML
> ... 8 CableLabs 01/13/04 Page 15. PacketCable™ **Audio/Video Codecs Specification**
> PKT-SP-**CODEC**-I05-040113 In an application where the MTA is located in ...
> www.packetcable.com/downloads/specs/ PKT-SP-CODEC-I05-040113.pdf - Similar pages
> [More results from www.packetcable.com]

Telecom ICs (Multi-Function **Codecs**)
... Single-rail **Audio CODEC**, balanced, DTMF ... Singapore | Shanghai | Hong Kong | Taiwan
© **1997**-2004 Oki ...
www.okisemi.com/jp/english/t-telmul.htm - 15k - Cached - Similar pages

[PDF] TMS320C6000 McBSP: AC'97 **Codec** Interface (TLC320AD90)
File Format: PDF/Adobe Acrobat - View as HTML
... TLC320AD90) 2 Design Problem How can the **multi**-channel buffered ... **codec** device that
is compliant to the **audio codec 1997** (AC'97) component **specification**. ...
www.eetasia.com/ARTICLES/2001MAY/ 2001MAY15_DSP_MSD_AN.PDF - Similar pages

[PDF] NP-030243 Rel-5 CR 29.198-04-4.doc
File Format: PDF/Adobe Acrobat - View as HTML
... 2) R96 (Release 1996) R97 (Release **1997**) R98 (Release ... contain lists of possible **audio**
and video ... to 'decode' our cryptic identifiers and find the correct **codec**. ...
www.3gpp.org/ftp/tsg_cn/TSG_CN/ TSGN_20/Docs/PDF/NP-030243.pdf - Similar pages

> [PDF] TSGS#16(02)0224
> File Format: PDF/Adobe Acrobat - View as HTML
> ... al., March **1997** [18] ITU-T Recommendation H.263 ... Adaptive **Multi**-Rate Wideband (AMR-WB)
> **audio codecs** ", March 2002 ... 4.2 Speech The AMR **codec** shall be supported for ...
> www.3gpp.org/ftp/tsg_sa/TSG_SA/ TSGS_16/Docs/PDF/SP-020224.pdf - Similar pages
> [More results from www.3gpp.org]

Contributions to WP 10C (1996-97)
... regarding the up-coming testing of multichannel **codecs**, ... 10-11R/38] Draft EBU Standard
N22-**1997** - The broadcast ... wave format for the exchange of **audio** data files, ...
www.itu.int/itudoc/itu-r/archives/rsg/1996-97/rwp10c/ - 13k - Cached - Similar pages

The GSM 06.10 lossy speech compression library and its ...
... I can't find a trace of these people after **1997**; if anyone knows the story of what ... It

h   g g e c   e ch   c ec   ec f c   c ec b   g e   e ch